

## **MAXI L200**



- ▶ Power source of the vacuum conveyor.
- ► High vacuum flow.
- ▶ Short response time.
- ➤ Compact size and low weight in comparison to conventional mechanical pumps.
- ► Regulator kit is included.

### **Technical data**


Description	Unit	Value
Feed pressure range	MPa	0.4–0.6
Air consumption range	NI/s	10–14
Vacuum range	-kPa	61–75
Noise level range	dBA	72–76
Material		AI, PPS, SS, NBR
Temperature range	°C	0–60
Weight	kg	7.6


### Vacuum flow

Feed pressure	Air consumption		Vacuum flow (NI/s) at different vacuum levels (-kPa)								
MPa	NI/s	0	10	20	30	40	50	60	70	-kPa	
0.6	14	47.5	25.7	17.6	11.4	6.2	4.8	3.3	2.1	75	
0.5	12	45.1	21.9	15.2	8.6	5.7	4.1	2.4	0.48	71	
0.4	10	39.9	19.0	11.9	7.1	5.2	2.6	0.1	-	61	

## **Evacuation time**

Feed pressure	Air consumption	E	Max vacuum						
MPa	NI/s	10	20	30	40	50	60	70	-kPa
0.6	14	0.004	0.009	0.016	0.03	0.05	0.07	0.11	75
0.5	12	0.004	0.009	0.018	0.03	0.05	0.09	0.17	71
0.4	10	0.004	0.01	0.022	0.04	0.07	-	-	61






# Conveyors C Pump units



## **Ordering information**

Description	Art. No.
Pump unit Maxi L200	0103878



# Ordering information accessories

Description	Art. No.
Central exhaust MLL100–400	3116017
Adapter MAXI L100-L1600 cpl	3102073